

A photograph of a light green tent with a dark green mesh wrap extended over the front entrance. The tent is pitched on a ground covered with brown mulch. The background shows green foliage and trees. The text 'M3 extended wrap' is overlaid in white on the left side of the tent.

M3 extended wrap

M3 extended wrap assembly instructions

Please take the time to read these basic instructions carefully before assembling your new M3 extended wrap for the first time.

It is advisable that the first time you use the wrap it is pitched at home in your garden to familiarise yourself with your new purchase.

The extended wrap will fit Mk2 & M3 one man Armo's.

Erect your Armo in the normal manner.

Unfold the extended wrap.

Cover the Armo with the wrap using the seams of the wrap as a rough guide. These should follow the poles on the bivvy.

Working from the rear and using the pegs supplied with the wrap (NOT the bivy pegs) place a peg in each ring and tension. The peg should mirror that of the bivy but approximately 4" (10cm) behind the bivy peg.

DO NOT PEG DOWN THE SIDES AT THIS STAGE.

Now place a peg in the front two peg points to either side of the door, and a peg in the two front corners of the wrap. This gives the wrap the correct shape.

Now place a peg in each remaining ring of the wrap, taking sufficient tension. Ensure that no part of the wrap comes into contact with the bivy panels.

Care and maintenance of your M3 extended wrap

All Aqua products will provide you with years of service providing they are well looked after. We recommend that your wrap is always packed away dry or is dried as soon as possible after a session. This prevents mildew from forming and in turn prevents damage to the materials used.

We recommend using Grangers Cleaning agents to clean your wrap.

Wash your wrap while erect using warm water.

Always dry thoroughly in the shade.

Do not use detergents to clean your wrap.

Never machine wash or tumble dry your wrap.

Do not use any abrasives or scrubbing agents/cloths.

Avoid contact with fuel, oil (in baits/cooking) and chemicals as the stains from these may be impossible to remove and will probably attack the fabric and damage the proofing.

Avoid pitching under trees as sap may fall onto the outer which is almost impossible to remove.

Over time the coating on the outside of the fabric will wear and the material will no longer form droplets on the fabric and run off easily. We recommend that you re-proof the material annually. The only product we recommend is Fabsil Gold by Grangers, available from our website www.aquaproducts.co.uk Follow the Fabsil Gold instructions when you re-proof the wrap.

Condensation

By using a wrap with your bivvy you will greatly reduce condensation. Any areas of the bivvy that are not twin skinned can still be subject to condensation.

It is common for moisture to build up on the inside surface of your wrap. This is condensation and is perfectly normal.

Warranty

All Aqua products are designed and manufactured to exacting standards and are guaranteed for the end purpose intended. Should the product fail during normal usage as a result of a component, material or manufacturing fault, excluding fair wear and tear, then the product will be repaired or replaced (with the same or a similar model from the current range) at our expense and discretion. All poles and fabric colour fading due to over exposure to the sun are excluded from fair wear and tear.

This guarantee is only valid when your wrap is used for recreational purposes, not including commercial usage, ie: hiring, use by outdoor centres etc. Repairs to damage caused by accident, use in inappropriate conditions, and normal wear and tear will be carried out where possible at a reasonable charge. Please ensure that all products are clean and dry prior to being returned.

No consequential loss may be claimed under this guarantee. This guarantee in no way affects your statutory rights.

Repairs

We offer a comprehensive repair service whereby most repairs can be carried out on site by our team of trained machinists.

In the first instance please ensure that the wrap comes back to us in a clean, dry condition. We do not have the facilities to dry tents here at Aqua and for health and safety reasons will not work on a soiled bivvy or wrap.

Clearly mark on the wrap where the fault is using chalk/low tack tape. Please supply a detailed list of the faults, contents, contact numbers and return address details. There are forms available on our website that can be printed and filled out to aid this process - please go to www.aquaproducts.co.uk

If it is a warranty claim please ensure you send proof of purchase (direct Aqua customers only). If purchased through one of our premier retailers your wrap must be returned to them.

Please ensure the wrap is packaged so as not to cause further damage and ensure the package is insured for the full value of the content. We cannot be held responsible for damage caused in transit or lost parcels.

All repairs, unless under warranty, will be quoted for before any work takes place and we aim to turn around repairs within 10 working days, subject to parts/peak times etc.


No bivvy/wrap is guaranteed against storm damage.



7

sales hotline 0845 1259399

Specifications:



Contents:

M3 extended wrap x 1 | pegs x 12 | clear window x 1
zipped outer bag x 1 | instruction booklet x 1

Aqua Products Unit 2 Lower Healey Business Park
Froom Street Chorley Lancashire PR6 9AR
Hotline 0845 1259399 Email sales@aquaproducts.co.uk
www.aquaproducts.co.uk